

(MSDS)

Version - No. 2

Reviewed on 01/04/2019

1 Identification

Printing date 01/04/2019

- •1.1 Product identifier
- Trade name: VACOFLUX® 17
- Article number:

® registered trademark of VACUUMSCHMELZE GmbH & Co. KG

- Material Safety Data Sheet no.: IB31
- Application of the substance / the mixture semi-finished products and parts
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: VACUUMSCHMELZE GmbH & Co.KG Grüner Weg 37 D-63450 Hanau

datasheet@vacuumschmelze.com

- Information department: Environmental Protection Department
- **1.4 Emergency telephone number:** Tel. no.: (**49) 6181/38-0 Emergency tel. no.: via (**49) 6181/38-0

2 Hazard(s) identification

 2.2 Classification (substance or mixture) Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006. For articles there is no obligation to classify acc. to CLP -Regulation. 2.2 Labelling according to Regulation (EC) No 1272/2008 Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable • Additional VAC information: In the case of dust-producing processing, we recommend observance of the following warnings : Hazard statements May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause cancer. Route of exposure: Inhalation. May damage fertility or the unborn child. Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Avoid release to the environment. Use personal protective equipment as required. In case of inadequate ventilation wear respiratory protection. Get medical advice/attention if you feel unwell. • 2.3 Other hazards Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable. USA

(Contd. on page 2)

(MSDS)

Version - No. 2

Reviewed on 01/04/2019

Trade name: VACOFLUX® 17

(Contd. of page 1)

3 Composition/information on ingredients

3.2 Chemical characterization:

• Description: Metal in compact form

• Dangerous components:

The classifications given below reflect the classification of each pure substance respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

* = possible inpurities

· ·		
CAS: 7439-89-6 EINECS: 231-096-4	iron (compact form)	rest%
CAS: 7440-48-4 EINECS: 231-158-0 Index number: 027-001-00-9	cobalt	~ 17%
CAS: 7440-47-3 EINECS: 231-157-5	chromium	<2.5%
CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-002-00-7	nickel	<0.15 *%

Additional information:

For the wording of the listed hazard phrases refer to section 16.

Additional information for Cobalt:

See also Chapter 11

4 First-aid measures

4.1 Description of first aid measures

• After inhalation:

If metal vapours or solid dusts have been inhaled: Get the affected person out in the fresh air and call a doctor.

- After skin contact:
- Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Consult a doctor if the symptoms persist.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- Non-combustible.

Extinguishing agents must be adapted to the environment.

(Contd. on page 3)

USA



(MSDS)

Version - No. 2

Reviewed on 01/04/2019

Printing date 01/04/2019

Trade name: VACOFLUX® 17

- (Contd. of page 2) 5.2 Special hazards arising from the substance or mixture Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- 6.1 Personal precautions, protective equipment and emergency procedures No special measures required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: No special measures required.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

7.1 Precautions for safe handling

No safety precautions are necessary in the delivered form. The appropriate industrial and environmental safety measures must be taken for processing steps which cause dust (see also section 8): Prevent formation of dust. Ensure good ventilation/exhaustion at the workplace. Take note of emission threshold.

- Information about protection against explosions and fires: No special measures required.
- •7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class: Not applicable
- •7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: Provide suction with filtering for good airing and ventilation of the work area during processing steps which cause dust. Air return is only permitted in exceptional cases. If industrial vacuum cleaners are used, these must have dust class H (DIN EN 60335-2-69). Suitable breathing apparatus must be used during repair and maintenance work to suction systems, especially when changing filters (see personal safety equipment).
- 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

(Contd. on page 4) USA



Version - No. 2

Reviewed on 01/04/2019

Trade name: VACOFLUX® 17

		(Contd. of page	
	on (compact form)		
EV (Canada)	Long-term value: 1* 5** mg/m ³ as iron;*salts, water-soluble;**welding fume		
7440-48-4 co			
PEL (USA)	Long-term value: 0.1* mg/m ³ as Co; *for metal dust and fume		
REL (USA)	Long-term value: 0.05 mg/m ³ as Co; metal dust & fume		
TLV (USA)	Long-term value: (0.02) NIC-0.02* mg/m³ *inh. fraction; NIC-Skin, DSEN, RSEN, BEI		
EL (Canada)	Long-term value: 0.02 mg/m ³ as Co; IARC 2B		
EV (Canada)	Long-term value: 0.1 mg/m ³		
7440-47-3 ch			
PEL (USA)	Long-term value: 1 mg/m ³		
REL (USA)	Long-term value: 0.5* mg/m ³ *metal+inorg.compds.as Cr;See Pocket Guide App. C		
TLV (USA)	Long-term value: 0.003* 0.5** mg/m ³ inh. fraction, *as Cr(III),**metal		
IOELV (EU)	Long-term value: 2 mg/m ³ as Cr		
EL (Canada)	Long-term value: 0.5 mg/m ³ as metal		
EV (Canada)	Long-term value: 0.05 mg/m ³		
7440-02-0 ni			
PEL (USA)	Long-term value: 1 mg/m ³		
REL (USA)	Long-term value: 0.015 mg/m ³ as Ni; See Pocket Guide App. A		
TLV (USA)	Long-term value: 1.5* mg/m ³ elemental, *inhalable fraction		
EL (Canada)	Long-term value: 0.05 mg/m³ ACGIH A1, IARC 2B		
EV (Canada)	Long-term value: 1 mg/m ³ Inhalable fraction		
continue to co for example r available, the (Source: Insti current value	occupational exposure limits (AGW) of the Tech onstitute workplace atmospheric limit values that to maximum workplace concentration (MAK value employer must also consider the DNEL during tut für Arbeitsschutz der Deutschen Gesetzliche s are available: http://www.dguv.de/ifa/gestis/ge	en Unfallversicherung (IFA))	
7440-48-4 co			
Inhalative La	ngzeitexposition - Inhalation - Iokale Wirkung	0.04 mg/m ³ (Ind) 0.0063 mg/m ³ (Consumer)	
7440-02-0 ni	ckel		
Inhalative La	ngzeitexposition - Inhalation - lokale Wirkung	0.05 mg/m³ (Ind)	
	ngzeitexposition - Inhalation - system. Wirkung		
		· · · ·	




(MSDS)

Version - No. 2

Reviewed on 01/04/2019

Trade name: VACOFLUX® 17





(MSDS)

Version - No. 2

Reviewed on 01/04/2019

Trade name: VACOFLUX® 17

(Contd. of page 5)

• Eye protection:



In the event of larger quantities of dust: Wear protective glasses / EN 166, poss. with side protection.

• Limitation and supervision of exposure into the environment The legal issue values and limitations are to be paid attention!

•9.1 Information on basic physical and o	chemical properties
General Information	
Appearance:	
Form:	Semi-finished products/parts: e.g. strip, wire and parts
Color:	Metallic
• Odor:	Odourless
• pH-value:	Not applicable.
Change in condition Melting point/Melting range (approx):	: 1,500-1,550 °C
Auto igniting:	Not applicable
Danger of explosion:	Not applicable
• Vapor pressure:	Not determined.
 Density (approx) at 20 °C: 	8 g/cm ³
Relative density	Not determined.
Solubility in / Miscibility with	
Water:	Insoluble.
• Partition coefficient (n-octanol/water):	Not determined.
9.2 Other information	No further relevant information available.

10 Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- Hydrogen is released in contact with acid which can cause explosive gas mixtures.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- •10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values:

The following applies for the pure substances:

(Contd. on page 7)



(MSDS)

Version - No. 2

Reviewed on 01/04/2019

Trade name: VACOFLUX® 17

7440-48-4	cobalt		
Oral	LD50	550 mg/kg (rat)	
Inhalative LC50/4 h mg/l (rat)			
		siehe zusätzlicher toxikologischer Hinweis / see additional toxicological informatio	n
7440-02-0			
Oral	LD50	>9,000 mg/kg (rat)	
 Primary in 	ritant effe	ct:	
• on the ski	in: see ser	sitization	
• on the eye	e:		
	,	in the case of massive direct contact will be mainly due to mechanical effects depe	nding on
the grain s			
 Sensitizat 			
Mayroauar			
		asthma symptoms or breathing difficulties if inhaled.	
May cause • Additiona	e an allergi I toxicolog	c skin reaction. gical information:	finbalad
May cause • Additional Subseque Category In case the	e an allergi I toxicolo nt users sh 1" (no lega e subseque	c skin reaction.	
May cause • Additional Subseque Category In case the	e an allergi I toxicolo nt users sh 1" (no lega e subseque in Chapter	c skin reaction. gical information: nould be aware of the fact that Co-metal fine powder are classified as "acute toxic i I classification); LC50 4hr ≤0,05 mg/l. ent use of product generates fine Co-metal particles (e.g. dust), protection measure 7 and 8 of this information sheet must be applied.	
May cause • Additional Subseque Category In case the described • Carcinoge	e an allergi I toxicolo nt users sh 1" (no lega e subsequi in Chapter enic categ	c skin reaction. gical information: nould be aware of the fact that Co-metal fine powder are classified as "acute toxic i I classification); LC50 4hr ≤0,05 mg/l. ent use of product generates fine Co-metal particles (e.g. dust), protection measure 7 and 8 of this information sheet must be applied.	
May cause • Additional Subseque Category In case the described • Carcinoge	e an allergi I toxicolog nt users sh 1" (no lega e subseque in Chapter enic categ ernational	c skin reaction. gical information: nould be aware of the fact that Co-metal fine powder are classified as "acute toxic i I classification); LC50 4hr ≤0,05 mg/l. ent use of product generates fine Co-metal particles (e.g. dust), protection measure 7 and 8 of this information sheet must be applied. ories	
May cause • Additional Subseque Category In case the described • Carcinoge • IARC (Inter-	e an allergi I toxicolog nt users sh 1" (no lega e subseque in Chapter enic categ ernational cobalt	c skin reaction. gical information: nould be aware of the fact that Co-metal fine powder are classified as "acute toxic i l classification); LC50 4hr ≤0,05 mg/l. ent use of product generates fine Co-metal particles (e.g. dust), protection measure 7 and 8 of this information sheet must be applied. ories Agency for Research on Cancer)	es such a
May cause • Additional Subseque Category In case the described • Carcinoge • IARC (Intel 7440-48-4	e an allergi I toxicolog nt users sh 1" (no lega e subseque in Chapter enic categ ernational cobalt chromiun	c skin reaction. gical information: nould be aware of the fact that Co-metal fine powder are classified as "acute toxic i l classification); LC50 4hr ≤0,05 mg/l. ent use of product generates fine Co-metal particles (e.g. dust), protection measure 7 and 8 of this information sheet must be applied. ories Agency for Research on Cancer)	es such a
May cause • Additional Subseque Category In case the described • Carcinoge • IARC (Intel 7440-48-4 7440-47-3 7440-02-0	e an allergi I toxicolog nt users sh 1" (no lega e subseque in Chapter enic categ ernational cobalt chromium nickel	c skin reaction. gical information: nould be aware of the fact that Co-metal fine powder are classified as "acute toxic i l classification); LC50 4hr ≤0,05 mg/l. ent use of product generates fine Co-metal particles (e.g. dust), protection measure 7 and 8 of this information sheet must be applied. ories Agency for Research on Cancer)	es such a
May cause • Additional Subseque Category In case the described • Carcinoge • IARC (Intel 7440-48-4 7440-47-3 7440-02-0	e an allergi I toxicolog nt users sł 1" (no lega e subseque in Chapter enic categ ernational cobalt chromiun nickel onal Toxic	c skin reaction. gical information: nould be aware of the fact that Co-metal fine powder are classified as "acute toxic i I classification); LC50 4hr ≤0,05 mg/l. ent use of product generates fine Co-metal particles (e.g. dust), protection measure 7 and 8 of this information sheet must be applied. ories Agency for Research on Cancer)	es such a
May cause • Additional Subseque Category In case the described • Carcinoge • IARC (Intel 7440-48-4 7440-47-3 7440-02-0 • NTP (Nati	e an allergi I toxicolog nt users sh 1" (no lega e subseque in Chapter enic catege ernational cobalt chromium nickel onal Toxic cobalt	c skin reaction. gical information: nould be aware of the fact that Co-metal fine powder are classified as "acute toxic i I classification); LC50 4hr ≤0,05 mg/l. ent use of product generates fine Co-metal particles (e.g. dust), protection measure 7 and 8 of this information sheet must be applied. ories Agency for Research on Cancer)	es such a 2B 3 2B
May cause • Additional Subseque Category In case the described • Carcinoge • IARC (Intel 7440-48-4 7440-47-3 7440-02-0 • NTP (Nati 7440-02-0	e an allergi I toxicolog nt users sł 1" (no lega e subseque in Chapter enic categ ernational cobalt chromium nickel onal Toxic cobalt nickel	c skin reaction. gical information: nould be aware of the fact that Co-metal fine powder are classified as "acute toxic i I classification); LC50 4hr ≤0,05 mg/l. ent use of product generates fine Co-metal particles (e.g. dust), protection measure 7 and 8 of this information sheet must be applied. ories Agency for Research on Cancer)	es such a 2B 3 2B R

12 Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Not known to be hazardous to water.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 8)

USA



(MSDS)

Version - No. 2

Reviewed on 01/04/2019

(Contd. of page 7)

Trade name: VACOFLUX® 17

13 Disposal considerations

- 13.1 Waste treatment methods
- Recommendation: Observe offical regulations.
- Uncleaned packagings: Not applicable

14 Transport information

- Transport/Additional information:
- ADR
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Maritime transport IMDG:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Air transport ICAO-TI and IATA-DGR
- Remarks: Non-hazardous goods from the standpoint of the specified regulations

15 Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- National regulations:
- Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

--

• Technical instructions (air): The emission values and limitations must be observed!

- Water hazard class: Alloys in solid form do not pose an ecological threat.
- Other regulations, limitations and prohibitive regulations
- e.g.
- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances
- 15.2 Chemical safety assessment: Void (for articles)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

Wording of the hazard warnings mentioned (Chapter 3) for pure substances:

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H350 May cause cancer. Route of exposure: Inhalation.

H351 Suspected of causing cancer. Route of exposure: Inhalation.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

(Contd. on page 9)



USA

Version - No. 2

Reviewed on 01/04/2019

Trade name: VACOFLUX® 17

	(Contd. of page
Department issuing SDS:	
Department OPS-C SE	
Tel. 06181/38-2045	
• Contact:	
Environmental Protection Department	
Tel. 06181/38-2359	
 Abbreviations and acronyms: 	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fe	er (Regulations Concerning the International
Transport of Dangerous Goods by Rail)	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreeme	ent concerning the International Carriage of
Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Acute Tox. 4: Acute toxicity – Category 4	
Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1	
Carc. 1B: Carcinogenicity – Category 1B	
Carc. 2: Carcinogenicity – Category 2	
Repr. 1A: Reproductive toxicity – Category 1A	
Repr. 1B: Reproductive toxicity – Category 1B	
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1	
Sources	
- KÜHN-BIRETT-Merkblätter gefährlicher Arbeitsstoffe	
- Technische Regeln für Gefahrstoffe	

